



CIPET

ACOUSTICAL

CEILING TILE



CREDESCENCE
We The Trust

World Most trusted
100 % Made In India Brand




BENEFITS

- Excellent Sound absorption (NRC 0.7-0.9)
- Highly decorative
- Moisture proof & light weight

AREA OF APPLICATION

- Auditoriums, Conferences Rooms
- Seminar Hall, Libraries, Indoor Stadium
- Cinema Hall, Home Theater
- Studio , Study room, Pubs

TECHNICAL DATA



MADE OF RECYCLED
PLASTIC BOTTLES




BEST ACOUSTIC
PERFORMANCE



EASY TO CLEAN



HUMIDITY
RESISTANCE



RECYCLABLE
& RECYCLED



MULTIPLE
COLOUR OPTION




FIRE RETARDANT

TECHNICAL DATA

Sizes of Ceiling Tile	600mmx600mm, 600mmx1200mm, 1200mmx1200mm, 1200mmx2400mm, Other sizes can be custom ordered *
Thickness	10mm, 20mm,
NRC	0.7 - 0.95
Density	135 kg/m ³ -- 200 kg/m ³
Edges	Square, Bevel
Fire Resistance	B1 Class A
Colour	Multiple Colour Range
Primary Material	100 % Polyethylene Terephthalate (PET) (100 % Recyclable – Conventional)


TECHNICAL DATA

NRC CHART



COLOUR OPTIONS

CREDENCE CIPET COLOUR SERIES



CIPET-W01

CIPET - W02

CIPET -W03

CIPET- W04

CIPET- W05

CIPET-W06

CIPET-W07



CIPET-B01

CIPET-B02

CIPET-B03

CIPET-B04

CIPET-B05

CIPET-G01

CIPET-G02



CIPET-G03

CIPET-G04

CIPET-G05

CIPET-G06

CIPET-P01

CIPET-P02

CIPET-P03



CIPET-R01

CIPET-R02




CIPET-R03

CIPET-Y01

CIPET-ZB

INSTALLATION

CIPET CEILING TILE CAN BE EASILY INSTALLED ON METAL T-GRID



MAINTENANCE

THE MAINTENANCE INSTRUCTION & RECOMMENDATIONS TO REMOVE DUST, PEN MARKS, STAINS ARE AS FOLLOWS –

- ✓ USE SMOOTH BRUSH OR VACUUM CLEANER FOR ANY TYPE OF DUST OR DIRT PARTICLES. ENSURE TO CLEAN IN ONE DIRECTION ONLY.
- ✓ USE FRESH GOOD QUALITY CLEANER FOR REMOVING PEN MARKS OR SMUDGES.
- ✓ USE VOLATILE SOLVENT BASED CLEANER FOR OIL BASED STAINS.

WARRANTY



5 YEARS WARRANTY FOR CREDENCE CIPET PANEL

* PLEASE REFER TO WARRANTY DOSSIER FOR WARRANTY CLAUSES & TERMS

CONTACT US

Call us: +91-120-5105463
+91-99900 49959

Email: info@credenceindustries.com , sales@credenceindustries.com

